Danish Authority of Social Services and Housing

AssistData

Assistive Technology Data - Denmark

MWC, Barcelona 02-03-2023

Knowledge for mutual benefit

- Information about > 38,000 assistive products available on the Danish market
- Information provided by > 1,300 suppliers
- Started in 1989 internet application from 2000 online data collection since 2003
- Data available at:
 - The primary website/search engine (AssistData)
 - EASTIN (Multilingual cross platform search engine)
 - Web services (used in case & stock management systems)

ASSISTDATA		Q Dansk > My check list (2) >
You are here: <u>Home</u> <u>Classification</u> <u>Assistive products for person</u>	nal mobility and transportation Manual wheelchairs Bimanual handrim-drive whe	eelchairs Manual wheelchairs with rigid frame, customized
	with rigid frame, customized al user. With a rigid non-foldable frame. Back rest may be folded down	
Filter		Related information
Properties		Standards
Intended for children 0	🔾 Yes 🚫 No 💿 Irrelevant	Apps
Adjustable seat angle	🔿 Yes 🔿 No 💿 Irrelevant	Products in EASTIN
Balance point adjustable	🔿 Yes 🔿 No 💿 Irrelevant	Products in Hjelpemiddeldatabasen (Norway)
Available with hard base 0	🔿 Yes 🔿 No 💿 Irrelevant	
Back rest angle adjustable	🔿 Yes 🔿 No 💿 Irrelevant	
Height adjustable back rest	🔿 Yes 🔿 No 💿 Irrelevant	
Push handles	🔾 Yes 🔿 No 💿 Irrelevant	
Front-wheel-driven	🔾 Yes 🔿 No 💿 Irrelevant	
Intended for fastening in a car	🔿 Yes 🔿 No 💿 Irrelevant	
Number of wheels	Select 🗸	
Measures		
For a user weighing up to	kg	
i of a door worghing up to		

Danish Authority of Social Services and Housing

EASTIN

• With data from AssistData



eastin						
SEARCHES	WHAT IS EASTIN	ABOUT US	DOCUMENTS	ASPREX	GATE COMMUNITY	
Search			A	II ÷	SEARCH	
Searches / Search result	s assistive products					
	S - Assistive Pl					
▼ Narrow results by natio	onal databases 🛛 🗹 Refine searc	h	Sort by: Latest up	date 💙 D	escendant (Z-A) 💙	
lf you do not wish to see the 'Refresh' button.	e information from any of t	the national database	s then remove the tick above its na	me by clicking or	n it and then clicking on	
National Databases:						
ATAust (AU): 187	O DLFDat		Hjælpemiddelbasen (DK): 22		(IT): 195	
Z AZARIM (IL): 198	Handica	at (FR): 246	REHADAT (DE): 0	Vlib	ank (BE): 256	
Providers of EASTIN cent						
EASTIN Admin (IT): 0			TPNC (LT): 0	ZUY	'D (NL): 0	
EUC (CY): 0	NSTDA	(TH): 0	UKE (SK): 0			
Refresh Page 1 of 131 « «	1 2 3 4 5	6 7 8 9 1	0 » »			
Panthe	ra S3 Swing Lang					
Bimanua	Bimanual handrim-drive wheelchairs (ISO Code 12.22.03) Manufacturer: Manufacturer unknown; see the original database for national Insert date: 10/10/2022 - Latest update: 09/02/2023		ase for national suppliers	Source database: Hjælpemiddelbasen (DK)		
Insert da	ra U3 Y-front					

Provision of assistive products in Denmark

98 municipalities

- Responsible for home care and the provision of assistive products for daily life
- Assistive products are provided as a loan
 returned when no longer needed
 - □ 80-90 local authority assistive products warehouses



Local authority assistive products warehouses



Procurement and purchase

- Warehouses are involved in the public procurement procedures
 - AssistData supports with requirement specification templates in 27 product areas, e.g. manual wheelchairs, rollators
 - An AssistData web tool for requirement specification is under development



Under hed clearance . The bed must have a clearance of min. xx cm above the floor

Procurement and purchase

• 27 requirement specification templates

Rollator ISO Classification Code Electrically operated medical bed for home care 12 06 06 ISO Classification Code Description and requirements of the product (minimum requirements 18 12 10 The requirement specification describes the product in itself, inclu configuration with regard to accessories and intended use, if appli Description and requirements of the product (minimum requirements) Thereafter, the requirements for the characteristics of the product The requirement specification describes the product in itself, including its accessories to be supplied with the product are listed. configuration with regard to accessories and intended use, if applicable. Note that red text indicates that you as a provider must make a c Thereafter, the requirements for the characteristics of the product and the Folding rollator with four wheels intended to be pushed forward. The rol accessories to be supplied with the product are listed. equipped with a resting seat, four massive wheels and removable baske Note that red text indicates that you as a provider must make a choice. shall be intended for both indoor and outdoor use. High-adjustable medical bed for adults (persons weighing 40 kg or more, height 145 cm or more, a BMI of 17 or more [2]) with a 4-sectioned mattress support platform for use in the External width max, xx cm, (According to the home care environment. The mattress support platform consists of backrest, with or without Width: rollators, max, 65 cm is recommended for use headrest, seat section, upper leg section and a lower leg section. Both the height and the adjustment of the sections in the mattress support platform must be electrically adjustable. Width between the handles min. xx cm. The bed must be fitted with wheels and a central braking system. Height adjustable without the use of tools in t Handles Max, xx cm long (measured without bed extension) and max, xx cm above the floor. Outer dimensions: cm wide incl. accessories. Good grip with large support surface. The m absorbent and not too slippery. Intended for a mattress that is xx cm long and xx cm wide. Dimension of Handles must be replaceable. mattress: Located in the range of xx cm - xx cm above There must be a possibility of extension of the surface of at least Resting seat: Length of mattress adjustable within the same range. xx cm. The extension must be able to follow the movements of support platform: The material must be non-absorbent. the mattress support platform. The seat must not prevent an upright position Shall at least be adjustable from xx cm - xx cm above floor, Mattress support measured without mattress (min. 40 - 80 cm above floor Must be able to be operated with minimum for plaform height above according to the standard for medical beds for home care use [2; Brakes: Brake cables shall be mounted so that they o floor : 31).

Danish Authority of Social Services and Housing


AssistData – Assistive Technology Data - Denmark



Procurement and purchase

• Web tool for requirement specification (Proto)

Measures Fill in only for measures to be included in the requirement specification. Load, max to kg Weight to kg Number of gears to Inside leg, min, frontseat to cm Inside leg, max, frontseat to cm to Inside leg, min, backseat cm Inside leg, max, backseat to cm Quality documentation and guiding materials Select quality documentation and guiding materials to be required Test information 0 ☐ CE declaration of conformity ① 🗌 User manual 0 Service manual 0 :hority of d Housing



Registration and storage

- Case & stock management systems used at the local warehouses
 - AssistData's product catalogue included via a web service
 - New/repaired/cleaned products are item coded/registered as "In stock" (ID from AssistData used as the key to AssistData catalogue information)




Assessment and handout


- Case manager (occupational therapist) order the appropriate assistive product
 - Find appropriate assistive product for end user using search & filtering options in the
 - □ AssistData interface
 - Case & Stock management system
 - Adding the loan to the citizen's case file



Assessment and handout

• Registering the loan in the citizen's case file





Assistive Technology Data – Denmark - https://assistdata.dk/en

Contact

Thomas Lyhne

Senior consultant

Mobile: +45 41 74 00 15

tly@socialstyrelsen.dk